



MAIN CANE CARRIER CHAIN - K2 ATTACHMENT

CHAIN NO.	Pitch P	Allow. Load	U.T.S	Pin Dia. D	Roller Dia. R	Sidebar Depth A	Max Gearing G	Bush Dia. B	C	E	F	Bolt Dia. H	T	W	X
PC5259	6.00	6,350	100,000	0.75	3.00	2.00	1.50	1.13	1.63	2.36	4.50	0.55	0.38	4.72	6.75
PC5255	6.00	7,450	100,000	0.88	3.00	2.25	1.69	1.25	1.63	2.36	4.50	0.50	0.38	4.92	6.40
PC1796	6.00	7,500	100,000	0.87	2.75	2.25	1.50	1.25	1.63	3.00	4.50	0.50	0.38	4.38	6.50
PC5316	6.00	7,500	100,000	0.86	2.75	2.25	1.50	1.30	1.75	2.36	4.50	0.50	0.50	5.13	6.82
PC960	6.00	7,500	100,000	0.86	2.75	2.25	1.50	1.30	1.63	3.00	4.38	0.50	0.50	4.38	5.94
PC2198	6.00	7,650	100,000	0.87	2.75	2.25	1.50	1.25	1.63	3.00	4.50	0.50	0.50	4.38	5.94
PC5310	6.00	8,300	100,000	0.88	3.00	2.25	1.75	1.38	1.63	2.63	4.50	0.50	0.38	4.92	6.75
PC5284	6.00	7,350	138,000	0.94	3.00	2.44	1.50	1.31	1.75	3.00	4.50	0.50	0.38	4.38	6.50
PC2047	6.00	7,800	140,000	0.94	3.00	2.50	1.63	1.38	1.75	3.00	4.50	0.50	0.38	4.38	6.16
PC9063	6.00	8,300	140,000	0.94	3.00	2.38	1.50	1.25	1.75	3.00	4.50	0.50	0.41	4.38	6.50
PC5293	6.00	8,300	140,000	0.94	3.00	2.44	1.50	1.25	1.75	3.00	4.50	0.50	0.41	4.38	6.50
PC9065	6.00	9,275	160,000	1.06	3.00	2.38	1.50	1.50	1.69	3.00	4.38	0.50	0.50	4.38	5.88
PC5249	6.00	10,700	167,000	1.00	3.00	2.50	1.81	1.50	2.00	2.50	4.50	0.50	0.50	5.13	6.75
PC5269	6.00	7,500	175,000	0.88	2.75	2.25	1.50	1.25	2.00	3.00	4.50	0.50	0.38	4.38	6.53
PC5455	8.00	10,700	150,000	1.00	3.50	2.81	1.81	1.50	2.19	3.25	6.00	0.69	0.50	5.19	7.25
PC800	8.00	10,700	167,000	1.00	3.50	2.81	1.81	1.50	2.19	4.50	2.00	0.63	0.50	5.19	7.25
PC5501	9.00	7,500	100,000	0.88	3.50	2.25	1.50	1.38	2.00	3.50	5.38	0.63	0.38	5.75	8.02
PC5499	9.00	9,000	125,000	1.00	3.63	2.75	1.63	1.50	2.50	4.50	6.00	0.63	0.50	6.19	7.69
PC5513	9.00	16,000	180,000	1.25	4.25	2.75	2.40	1.75	2.21	3.00	6.00	0.75	0.63	8.00	11.56
PC2614*	12.00	19,000	140,000	1.25	4.00	3.50	2.75	1.75	2.75	6.00	8.00	0.63	0.63	8.00	10.15
PC2630*	12.00	21,000	300,000	1.37	4.00	3.50	2.75	1.88	2.75	6.00	8.00	0.63	0.63	8.00	10.15

Note:

The above is a representation of chain produced. We are able to economically modify dimensions and/or materials to suit existing applications.

K1 Attachments also available.

Items marked \* have K2 Attachment welded to sidebar.

“Manufacturers of Quality Conveyor Chain and Sprockets for 50 years, serving the Cane Sugar industry”



Registered in England No. 709436.  
Registered Office as Above.

[www.precision-chains.com](http://www.precision-chains.com)  
[sales@precision-chains.com](mailto:sales@precision-chains.com)

TEL: +44 (0)1384 455455 - FAX: +44(0)1384 230751